
Fetroja® – Compatibility with Intravenous (IV) Bag Materials

SHIONOGI

This medical response contains information in addition to that provided in the Fetroja® (cefiderocol) for injection, for intravenous use Full Prescribing Information approved by the U.S. Food and Drug Administration (FDA). Shionogi does not recommend the use of Fetroja in any manner other than as described in the Full Prescribing Information. **Please read the attached Fetroja Full Prescribing Information**.

Summary | Relevant Prescribing Information | Literature Search | Abbreviations/References

Summary



- Cefiderocol solution for administration has been shown to be compatible with commonly available IV bags and IV infusion sets made of either polyolefin (eg, polyethylene, polypropylene) or with polyvinyl chloride (PVC) with di (2-ethylhexyl) phthalate (DEHP) or DEHP-free[1]

Fetroja® – Compatibility with Intravenous (IV) Bag Materials

SHIONOGI

This medical response contains information in addition to that provided in the Fetroja® (cefiderocol) for injection, for intravenous use Full Prescribing Information approved by the U.S. Food and Drug Administration (FDA). Shionogi does not recommend the use of Fetroja in any manner other than as described in the Full Prescribing Information. **Please read the attached Fetroja Full Prescribing Information**.

Relevant Prescribing Information

Fetroja® is indicated in patients 18 years of age or older for the treatment of:[2]

- Complicated urinary tract infections (cUTIs), including pyelonephritis caused by the following susceptible Gram-negative microorganisms:
  - *Escherichia coli*
  - *Klebsiella pneumoniae*
  - *Proteus mirabilis*
  - *Pseudomonas aeruginosa*
  - *Enterobacter cloacae* complex
- Hospital-acquired bacterial pneumonia and ventilator-associated bacterial pneumonia (HABP/VABP), caused by the following susceptible Gram-negative microorganisms:
  - *Acinetobacter baumannii* complex
  - *Escherichia coli*
  - *Enterobacter cloacae* complex
  - *Klebsiella pneumoniae*
  - *Pseudomonas aeruginosa*
  - *Serratia marcescens*

Fetroja is contraindicated in:[2]

- Patients with a known history of severe hypersensitivity to cefiderocol or other beta-lactam antibacterial drugs, or any other component of **Fetroja**

Please read the attached **Fetroja Full Prescribing Information**

Fetroja® – Compatibility with Intravenous (IV) Bag Materials

SHIONOGI

This medical response contains information in addition to that provided in the Fetroja® (cefiderocol) for injection, for intravenous use Full Prescribing Information approved by the U.S. Food and Drug Administration (FDA). Shionogi does not recommend the use of Fetroja in any manner other than as described in the Full Prescribing Information. **Please read the attached Fetroja Full Prescribing Information**.

Literature Search

Sept 2026

As of September 2026, a computerized search of the published medical literature using internal and external databases (ie, Medline® and Embase®) failed to identify any relevant references regarding the compatibility of cefiderocol solution for administration with intravenous bag materials.

Please keep in mind that medical literature databases, while considered a major source of biomedical information, are selective in their sources, and the information derived from them should not be considered all-inclusive.

Fetroja® – Compatibility with Intravenous (IV) Bag Materials

This medical response contains information in addition to that provided in the Fetroja® (cefiderocol) for injection, for intravenous use Full Prescribing Information approved by the U.S. Food and Drug Administration (FDA). Shionogi does not recommend the use of Fetroja in any manner other than as described in the Full Prescribing Information. **Please read the attached Fetroja Full Prescribing Information**.

Abbreviations

cUTIs	complicated urinary tract infections	IV	intravenous
DEHP	di(2-ethylhexyl) phthalate	PVC	polyvinyl chloride
FDA	US Food and Drug Administration	VABP	ventilator-associated bacterial pneumonia
HABP	hospital-acquired bacterial pneumonia		

References

1. Data on File 71. Shionogi Inc.
2. Fetroja® (cefiderocol) for injection, for intravenous use [Prescribing Information]. Shionogi Inc.

Enclosure

Fetroja® (cefiderocol) for injection, for intravenous use [Prescribing Information]. Shionogi Inc.